

STN Columbus

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
 NEWS 2 "Ask CAS" for self-help around the clock
 NEWS 3 FEB 28 PATDPAFULL - New display fields provide for legal status
 data from INPADOC
 NEWS 4 FEB 28 BABS - Current-awareness alerts (SDIs) available
 NEWS 5 MAR 02 GBFULL: New full-text patent database on STN
 NEWS 6 MAR 03 REGISTRY/ZREGISTRY - Sequence annotations enhanced
 NEWS 7 MAR 03 MEDLINE file segment of TOXCENTER reloaded
 NEWS 8 MAR 22 KOREAPAT now updated monthly; patent information enhanced
 NEWS 9 MAR 22 Original IDE display format returns to REGISTRY/ZREGISTRY
 NEWS 10 MAR 22 PATDPASPC - New patent database available
 NEWS 11 MAR 22 REGISTRY/ZREGISTRY enhanced with experimental property tags
 NEWS 12 APR 04 EPFULL enhanced with additional patent information and new
 fields
 NEWS 13 APR 04 EMBASE - Database reloaded and enhanced
 NEWS 14 APR 18 New CAS Information Use Policies available online
 NEWS 15 APR 25 Patent searching, including current-awareness alerts (SDIs),
 based on application date in CA/CAPLUS and USPATFULL/USPAT2
 may be affected by a change in filing date for U.S.
 applications.
 NEWS 16 APR 28 Improved searching of U.S. Patent Classifications for
 U.S. patent records in CA/CAPLUS
 NEWS 17 MAY 23 GBFULL enhanced with patent drawing images
 NEWS 18 MAY 23 REGISTRY has been enhanced with source information from
 CHEMCATS
 NEWS 19 JUN 06 STN Patent Forums to be held in June 2005
 NEWS 20 JUN 06 The Analysis Edition of STN Express with Discover!
 (Version 8.0 for Windows) now available
 NEWS 21 JUN 13 RUSSIAPAT: New full-text patent database on STN
 NEWS 22 JUN 13 FRFULL enhanced with patent drawing images
 NEWS 23 JUN 20 MEDICONF to be removed from STN
 NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
 MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
 AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005
 NEWS HOURS STN Operating Hours Plus Help Desk Availability
 NEWS INTER General Internet Information
 NEWS LOGIN Welcome Banner and News Items
 NEWS PHONE Direct Dial and Telecommunication Network Access to STN
 NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
 specific topic.

All use of STN is subject to the provisions of the STN Customer
 agreement. Please note that this agreement limits use to scientific
 research. Use for software development or design or implementation
 of commercial gateways or other similar uses is prohibited and may
 result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 17:02:13 ON 22 JUN 2005

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

STN Columbus

	ENTRY	SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'CAPLUS' ENTERED AT 17:02:27 ON 22 JUN 2005
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2005 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 22 Jun 2005 VOL 142 ISS 26
 FILE LAST UPDATED: 21 Jun 2005 (20050621/ED)

New CAS Information Use Policies, enter HELP USAGETERMS for details.

This file contains CAS Registry Numbers for easy and accurate substance identification.

```
=> s "heating value"
      681266 "HEATING"
      853363 "VALUE"
L1      4967 "HEATING VALUE"
          ("HEATING" (W) "VALUE")
```

```
=> s l1 and chemiluminesc$
```

```
=> s l1 and chemiluminesc?
      29517 CHEMILUMINESC?
L2      1 L1 AND CHEMILUMINESC?
```

```
=> d
```

L2 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1992:35785 CAPLUS
 DN 116:35785
 TI The identification of human semen by a **chemiluminescent** assay of choline
 AU Manabe, Fumiko; Tsutsumi, Akira; Yamamoto, Yuji; Hashimoto, Yoshiaki; Ishizu, Hideo
 CS Dep. Legal Med., Kochi Med. Sch., Kochi, 783, Japan
 SO Nippon Hoigaku Zasshi (1991), 45(3), 205-15
 CODEN: NHOZAX; ISSN: 0047-1887
 DT Journal
 LA English

```
=> d 1 kwic
```

L2 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2005 ACS on STN
 TI The identification of human semen by a **chemiluminescent** assay of choline
 AB A method for proving the presence of semen has been established by utilizing **chemiluminescence** for an assay of choline, a nonprotein constituent of semen, and medicolegal testings were carried out to

STN Columbus

- evaluate its effectiveness. . . . and seminal stains were heated to 200° for 30 min, the choline content still retained 71.6% and 66.9% of the pre-heating value, resp. As for specimens of semen and seminal stains that were stored at room temp. for 12 mo, about 1/3. . . . semen in the vaginal contents, collected on medicolegal autopsy, could also be demonstrated by the detection of choline. Thus, utilizing **chemiluminescence** for detecting choline is considered useful for establishing medicolegal proof of the presence of semen.
- ST choline **chemiluminescence** human semen identification forensic
 IT Legal chemistry and medicine
 (choline **chemiluminescence** assay for human semen identification in relation to)
- IT Apple
 Asparagus
 Burdock
 Cabbage
 Carrot
 Citrus medica
 Colocasia esculenta
 Cosmetics
 Cucumber
 Egg white
 Egg yolk
 Horseradish
 Japanese lime
 Leek
 Onion
 Orange
 Pea
 Pear
 Persimmon
 Radish
 Strawberry
 (choline detn. in, by **chemiluminescence** assay, human semen identification in relation to)
- IT Semen
 (identification of, of human, by choline **chemiluminescence** assay)
- IT Pharmaceuticals
 (intravaginal, choline of human semen response to, **chemiluminescence** assay in relation to)
- IT Hair preparations
 (creams, choline detn. in, by **chemiluminescence** assay, human semen identification in relation to)
- IT Capsicum annuum annuum
 (grossum group, choline detn. in, by **chemiluminescence** assay, human semen identification in relation to)
- IT Temperature effects, biological
 (heat, choline detn. in human semen by **chemiluminescence** assay in relation to)
- IT Frozen desserts
 (ice cream, choline detn. in, by **chemiluminescence** assay, human semen identification in relation to)
- IT 62-49-7, Choline
 RL: ANST (Analytical study)
 (**chemiluminescent** assay of, for human semen identification)
- IT 443-48-1 1405-10-3, New France F 7681-93-8, Pimafulcin 9016-45-9, Mylura 24168-96-5, Adestan G 100
 RL: ANST (Analytical study)
 (choline of human semen response to, **chemiluminescence** assay in relation to)

STN Columbus

```
=> s "heating value" or "energy content" or (caloric or calorific) (w) (value or content)
      681266 "HEATING"
      853363 "VALUE"
      4967 "HEATING VALUE"
          ("HEATING" (W) "VALUE")
      1795991 "ENERGY"
      1338568 "CONTENT"
          3680 "ENERGY CONTENT"
              ("ENERGY" (W) "CONTENT")
          8614 CALORIC
          10407 CALORIFIC
          853363 VALUE
      1338568 CONTENT
          10492 (CALORIC OR CALORIFIC) (W) (VALUE OR CONTENT)
L3      18166 "HEATING VALUE" OR "ENERGY CONTENT" OR (CALORIC OR CALORIFIC)
          (W) (VALUE OR CONTENT)
```

```
=> s 13 and chemiluminesc?
      29517 CHEMILUMINESC?
L4      14 L3 AND CHEMILUMINESC?
```

=> d 1-14

```
L4 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
Full Text
AN 2000:726044 CAPLUS
DN 134:17910
TI Laser-Induced Dissociation of an Energetic Polymer: A Spectroscopic Study
of the Gaseous Products
AU Belau, L.; Ben-Eliahu, Y.; Hecht, I.; Kop, G.; Haas, Y.; Welner, S.
CS Department of Physical Chemistry and the Farkas Center for Light Induced
Processes, The Hebrew University of Jerusalem, Jerusalem, 91904, Israel
SO Journal of Physical Chemistry B (2000), 104(44), 10154-10161
CODEN: JPCBFK; ISSN: 1089-5647
PB American Chemical Society
DT Journal
LA English
RE.CNT 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT
```

```
L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
Full Text
AN 1992:217711 CAPLUS
DN 116:217711
TI New instrumental technique for the analysis of high energy content fuels
AU Hutte, R.
CS Sievers Res. Inst., Boulder, CO, USA
SO Report (1990), WRDC-TR-89-2018; Order No. AD-A230 130, 29 pp. Avail.:
NTIS
From: Gov. Rep. Announce. Index (U. S.) 1991, 91(12), Abstr. No. 131,046
DT Report
LA English
```

```
L4 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
Full Text
AN 1992:58002 CAPLUS
DN 116:58002
TI Effects of an essential fatty acid-supplemented diet on leukotriene
B4-induced rat neutrophil functions
AU Gyllenhammar, H.; Palmblad, J.; Ringertz, B.
CS Karolinska Inst., Soedersjukhuset, Stockholm, S-10064, Swed.
```

STN Columbus

SO Scandinavian Journal of Clinical and Laboratory Investigation (1991),
51(6), 525-32
CODEN: SJCLAY; ISSN: 0036-5513
DT Journal
LA English

L4 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1992:35785 CAPLUS
DN 116:35785
TI The identification of human semen by a chemiluminescent assay of choline
AU Manabe, Fumiko; Tsutsumi, Akira; Yamamoto, Yuji; Hashimoto, Yoshiaki;
Ishizu, Hideo
CS Dep. Legal Med., Kochi Med. Sch., Kochi, 783, Japan
SO Nippon Hoigaku Zasshi (1991), 45(3), 205-15
CODEN: NHOZAX; ISSN: 0047-1887
DT Journal
LA English

L4 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1990:165322 CAPLUS
DN 112:165322
TI Crossed-beam study of the reaction of van der Waals molecule atomic
hydrogen + nitric oxide dimer
AU Honma, Kenji; Kajimoto, Okitsugu
CS Dep. Pure Appl. Sci., Univ. Tokyo, Tokyo, 153, Japan
SO Journal of Chemical Physics (1990), 92(3), 1657-60
CODEN: JCPSA6; ISSN: 0021-9606
DT Journal
LA English

L4 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1986:589919 CAPLUS
DN 105:189919
TI Essential fatty acid deficiency in rats: effects on arachidonate
metabolism, generation of cyclooxygenase products and functional responses
in neutrophils
AU Gyllenhammar, Hans; Ringertz, Bo; Becker, Wulf; Svensson, Jan; Palmblad,
Jan
CS Karolinska Inst., Soedersjukhuset, Stockholm, S100 64, Swed.
SO Immunology Letters (1986), 13(4), 185-9
CODEN: IMLED6; ISSN: 0165-2478
DT Journal
LA English

L4 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1981:505752 CAPLUS
DN 95:105752
TI Local mode excitation and direct unimolecular reaction rate measurements
in tetramethyldioxetane
AU Cannon, B. D.; Crim, F. F.
CS Dep. Chem., Univ. Wisconsin, Madison, WI, 53706, USA
SO Journal of Chemical Physics (1981), 75(4), 1752-61
CODEN: JCPSA6; ISSN: 0021-9606
DT Journal
LA English

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

STN Columbus

AN 1981:200271 CAPLUS
 DN 94:200271
 TI Structural and dynamic studies of materials possessing high energy content
 AU Turro, Nicholas J.
 CS Dep. Chem., Columbia Univ., New York, NY, USA
 SO Report (1980), AFOSR-TR-80-1287; Order No. AD-A093213, 16 pp. Avail.:
 NTIS
 From: Gov. Rep. Announce. Index (U. S.) 1981, 81(9), 1803
 DT Report
 LA English

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1980:197349 CAPLUS
 DN 92:197349
 TI Chemical mechanisms of chemi- and bioluminescence. Reactions of high
 energy content organic compounds
 AU Schuster, Gary B.; Dixon, Brian; Koo, Ja-Young; Schmidt, Steven P.; Smith,
 J. P.
 CS Dep. Chem., Univ. Illinois, Urbana, IL, 61801, USA
 SO Photochemistry and Photobiology (1979), 30(1, Chemi- Bioenergized
 Processes), 17-26
 CODEN: PHCBAP; ISSN: 0031-8655
 DT Journal
 LA English

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1979:54106 CAPLUS
 DN 90:54106
 TI Chemical mechanisms of chemi- and bioluminescence. Reactions of high
 energy content organic compounds
 AU Schuster, Gary B.; Dixon, Brian; Koo, Ja-Young; Schmidt, Steven P.; Smith,
 J. P.
 CS Dep. Chem., Univ. Illinois, Urbana, IL, USA
 SO Report (1978), Order No. AD-A056590, 36 pp. Avail.: NTIS
 From: Gov. Rep. Announce. Index (U. S.) 1978, 78(21), 103
 DT Report
 LA English

L4 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1978:520539 CAPLUS
 DN 89:120539
 TI Structural and dynamic studies of materials possessing high energy content
 AU Turro, Nicholas J.
 CS Dep. Chem., Columbia Univ., Ithaca, NY, USA
 SO U. S. NTIS, AD Rep. (1978), AD-A052936, 13 pp. Avail.: NTIS
 From: Gov. Rep. Announce. Index (U. S.) 1978, 78(15), 104
 CODEN: XADRCH; ISSN: 0099-8575
 DT Report
 LA English

L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1975:131546 CAPLUS
 DN 82:131546
 TI Structural and dynamic studies of materials possessing high energy content
 AU Turro, Nicholas J.
 CS Dep. Chem., Columbia Univ., New York, NY, USA
 SO U. S. N. T. I. S., AD Rep. (1974), No. 783262/9GA, 11 pp. Avail.: NTIS,
 3.00 dollars

STN Columbus

From: Govt. Rep. Announce. (U. S.) 1974, 74(20), 85

CODEN: XADRCH

DT Report

LA English

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1949:26072 CAPLUS

DN 43:26072

OREF 43:4828g-h

TI The prospects of jet-reaction flight. I

AU Saenger, Eugen

SO Journal of the American Rocket Society (1949), No. 76, 27-41

CODEN: JARSA2; ISSN: 0095-9073

DT Journal

LA Unavailable

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1921:14895 CAPLUS

DN 15:14895

OREF 15:2765b-i,2766a-i

TI Chemical kinetics

AU Pratolongo, Ugo

SO Gazzetta Chimica Italiana (1918), 48(I), 121-82

From: Chem. Zentr. 1919, I-II, 421-3

CODEN: GCITA9; ISSN: 0016-5603

DT Journal

LA Unavailable

=> d bro

:1

L4 ANSWER 1 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 2000:726044 CAPLUS

DN 134:17910

TI Laser-Induced Dissociation of an Energetic Polymer: A Spectroscopic Study of the Gaseous Products

AU Belau, L.; Ben-Eliahu, Y.; Hecht, I.; Kop, G.; Haas, Y.; Welner, S.

CS Department of Physical Chemistry and the Farkas Center for Light Induced Processes, The Hebrew University of Jerusalem, Jerusalem, 91904, Israel

SO Journal of Physical Chemistry B (2000), 104(44), 10154-10161

CODEN: JPCBFK; ISSN: 1089-5647

PB American Chemical Society

DT Journal

LA English

RE.CNT 30 THERE ARE 30 CITED REFERENCES AVAILABLE FOR THIS RECORD

ALL CITATIONS AVAILABLE IN THE RE FORMAT

:2

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1992:217711 CAPLUS

DN 116:217711

TI New instrumental technique for the analysis of high energy content fuels

AU Hutte, R.

CS Sievers Res. Inst., Boulder, CO, USA

SO Report (1990), WRDC-TR-89-2018; Order No. AD-A230 130, 29 pp. Avail.:

NTIS

From: Gov. Rep. Announce. Index (U. S.) 1991, 91(12), Abstr. No. 131,046

STN Columbus

DT Report
LA English
:ab

L4 ANSWER 2 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AB The feasibility of a catalytic (e.g., with Au, Pd, and Pt) redox chemiluminescence detector (RCD) was evaluated for the selective detn. of cycloalkanes and antioxidants in jet fuels. The Au catalyst at 300.degree. gave the best selectivity for cycloalkanes (40:1 for hexane and 3:1 for nonane), which decreased with increasing temp. The Pd and Pt catalysts did not demonstrate adequate selectivity. Overall, the catalysts did not exhibit sufficient selectivity to permit detection of cycloalkanes (vs. acyclic alkanes). In contrast, the selectivity of the RCD for easily oxidized compds. (e.g., phenols) vs. hexane was typically 104-106:1.

:3

L4 ANSWER 3 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1992:58002 CAPLUS

DN 116:58002

TI Effects of an essential fatty acid-supplemented diet on leukotriene B4-induced rat neutrophil functions

AU Gyllenhammar, H.; Palmblad, J.; Ringertz, B.

CS Karolinska Inst., Soedersjukhuset, Stockholm, S-10064, Swed.

SO Scandinavian Journal of Clinical and Laboratory Investigation (1991), 51(6), 525-32

CODEN: SJCLAY; ISSN: 0036-5513

DT Journal

LA English

:4

L4 ANSWER 4 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1992:35785 CAPLUS

DN 116:35785

TI The identification of human semen by a chemiluminescent assay of choline

AU Manabe, Fumiko; Tsutsumi, Akira; Yamamoto, Yuji; Hashimoto, Yoshiaki; Ishizu, Hideo

CS Dep. Legal Med., Kochi Med. Sch., Kochi, 783, Japan

SO Nippon Hoigaku Zasshi (1991), 45(3), 205-15

CODEN: NHOZAX; ISSN: 0047-1887

DT Journal

LA English

:5

L4 ANSWER 5 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1990:165322 CAPLUS

DN 112:165322

TI Crossed-beam study of the reaction of van der Waals molecule atomic hydrogen + nitric oxide dimer

AU Honma, Kenji; Kajimoto, Okitsugu

CS Dep. Pure Appl. Sci., Univ. Tokyo, Tokyo, 153, Japan

SO Journal of Chemical Physics (1990), 92(3), 1657-60

CODEN: JCPSA6; ISSN: 0021-9606

DT Journal

LA English

:6

L4 ANSWER 6 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

STN Columbus

AN 1986:589919 CAPLUS
 DN 105:189919
 TI Essential fatty acid deficiency in rats: effects on arachidonate metabolism, generation of cyclooxygenase products and functional responses in neutrophils
 AU Gyllenhammar, Hans; Ringertz, Bo; Becker, Wulf; Svensson, Jan; Palmblad, Jan
 CS Karolinska Inst., Soedersjukhuset, Stockholm, S100 64, Swed.
 SO Immunology Letters (1986), 13(4), 185-9
 CODEN: IMLED6; ISSN: 0165-2478
 DT Journal
 LA English
 :7

L4 ANSWER 7 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1981:505752 CAPLUS
 DN 95:105752
 TI Local mode excitation and direct unimolecular reaction rate measurements in tetramethyldioxetane
 AU Cannon, B. D.; Crim, F. F.
 CS Dep. Chem., Univ. Wisconsin, Madison, WI, 53706, USA
 SO Journal of Chemical Physics (1981), 75(4), 1752-61
 CODEN: JCPSA6; ISSN: 0021-9606
 DT Journal
 LA English
 :8

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1981:200271 CAPLUS
 DN 94:200271
 TI Structural and dynamic studies of materials possessing high energy content
 AU Turro, Nicholas J.
 CS Dep. Chem., Columbia Univ., New York, NY, USA
 SO Report (1980), AFOSR-TR-80-1287; Order No. AD-A093213, 16 pp. Avail.: NTIS
 From: Gov. Rep. Announce. Index (U. S.) 1981, 81(9), 1803
 DT Report
 LA English
 :ab

L4 ANSWER 8 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AB Investigations were made in the following areas: (1) Reactivities and efficiencies of reaction of singlet O with org. compds.; (2) Reaction of singlet O with strained org. mols.; (3) Generation of singlet O in a mol. beam; (4) Generation and dynamic anal. of reactive diradicals, such as trimethylenemethanes and carbenes in fluid soln. These studies are intended to advance the knowledge of the nature and behavior of excited mols. and their emission characteristics. The available mechanisms were studied for producing excited mols. selectively and in high yield via **chemiluminescent** reactions. The investigation of singlet O chem. and **chemiluminescent** reactions may lead to the development of novel chem. lasers and of means of protecting polymers against oxidative degrdn.
 :9

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1980:197349 CAPLUS
 DN 92:197349
 TI Chemical mechanisms of chemi- and bioluminescence. Reactions of high energy content organic compounds

STN Columbus

AU Schuster, Gary B.; Dixon, Brian; Koo, Ja-Young; Schmidt, Steven P.; Smith, J. P.
 CS Dep. Chem., Univ. Illinois, Urbana, IL, 61801, USA
 SO Photochemistry and Photobiology (1979), 30(1, Chemi- Bioenergized Processes), 17-26
 CODEN: PHCBAP; ISSN: 0031-8655
 DT Journal
 LA English
 :ab

L4 ANSWER 9 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
 AB The chem. of high **energy content** mols. was studied with particular ref. to the mechanisms by which these compds. rearrange, generating electronically excited states. Chem. generation of cage ion intermediates is the most important mechanism operating in the generation of these states and it is concluded that this mechanism is applicable to many chemi- and bioluminescent processes.
 :10

L4 ANSWER 10 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
Full Text
 AN 1979:54106 CAPLUS
 DN 90:54106
 TI Chemical mechanisms of chemi- and bioluminescence. Reactions of high **energy content** organic compounds
 AU Schuster, Gary B.; Dixon, Brian; Koo, Ja-Young; Schmidt, Steven P.; Smith, J. P.
 CS Dep. Chem., Univ. Illinois, Urbana, IL, USA
 SO Report (1978), Order No. AD-A056590, 36 pp. Avail.: NTIS
 From: Gov. Rep. Announce. Index (U. S.) 1978, 78(21), 103
 DT Report
 LA English
 :11

L4 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
Full Text
 AN 1978:520539 CAPLUS
 DN 89:120539
 TI Structural and dynamic studies of materials possessing high **energy content**
 AU Turro, Nicholas J.
 CS Dep. Chem., Columbia Univ., Ithaca, NY, USA
 SO U. S. NTIS, AD Rep. (1978), AD-A052936, 13 pp. Avail.: NTIS
 From: Gov. Rep. Announce. Index (U. S.) 1978, 78(15), 104
 CODEN: XADRCH; ISSN: 0099-8575
 DT Report
 LA English
 :ab

L4 ANSWER 11 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN
 AB The goal of this research is to provide a theor. and exptl. basis for the understanding of the properties of excited mols. and their emission characteristics. A particular emphasis was directed toward the identification of **chemiluminescent** systems which might have the highest likelihood of providing a framework for the development of operating chem. lasers which emit in the visible spectral range. The thermochem. and photochem. of dioxentanes and of valence isomers of benzene were investigated. The chem. of singlet O is being explored to develop simple and convenient means of producing this species. An important development has been the discovery that the catalytic thermal generation of singlet O from ground state (triplet) O may be feasible. The possibility of using singlet O in developing chem. lasers is also being explored. Finally, the mechanisms of electronic energy transfer and oxidn. in polymers is being

STN Columbus

investigated with the goal of providing a fundamental understanding of these processes that will allow the systematic and rational development of strategies for stabilization of polymer systems.

:12

L4 ANSWER 12 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1975:131546 CAPLUS

DN 82:131546

TI Structural and dynamic studies of materials possessing high energy content

AU Turro, Nicholas J.

CS Dep. Chem., Columbia Univ., New York, NY, USA

SO U. S. N. T. I. S., AD Rep. (1974), No. 783262/9GA, 11 pp. Avail.: NTIS, 3.00 dollars

From: Govt. Rep. Announce. (U. S.) 1974, 74(20), 85

CODEN: XADRCH

DT Report

LA English

:13

L4 ANSWER 13 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1949:26072 CAPLUS

DN 43:26072

OREF 43:4828g-h

TI The prospects of jet-reaction flight. I

AU Saenger, Eugen

SO Journal of the American Rocket Society (1949), No. 76, 27-41

CODEN: JARSA2; ISSN: 0095-9073

DT Journal

LA Unavailable

:14

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

Full Text

AN 1921:14895 CAPLUS

DN 15:14895

OREF 15:2765b-i, 2766a-i

TI Chemical kinetics

AU Pratolongo, Ugo

SO Gazzetta Chimica Italiana (1918), 48(I), 121-82

From: Chem. Zentr. 1919, I-II, 421-3

CODEN: GCITA9; ISSN: 0016-5603

DT Journal

LA Unavailable

:ab

L4 ANSWER 14 OF 14 CAPLUS COPYRIGHT 2005 ACS on STN

AB Chem. kinetics constitutes a problem in general dynamics which is connected with statistical mechanics. From the latter point of view the speed of reaction is accounted for as depending upon the no. of mols. whose energy has exceeded a definite critical value. This is the fundamental basis of the work of Marcelin upon this subject, originally developed in Ann. physique (C. A. 9, 1710). The method used in the present paper is the statistical mechanics of Gibbs. As a condition of reaction capacity a fixed mol. energy follows which in this Gibbs system has a precise meaning which should have been given to it formerly. This is designated as crit. energy. For the coeff. of reaction velocity k there is developed the formula in which ψ_0 is the av. mol. energy at abs. 0, and ϵ the crit. energy at the obs. abs. temp. θ . This formula has the form of the exptly. based expressions for the same coeff. derived by van't Hoff and Arrhenius. For increasing temp., the

coeff. of reaction velocity should, according to this formula, increase from zero, reach a maximum and then again asymptotically approach zero. A special role is played in the theory by the difference between the av. mol. energy and the critical energy, $\psi_0 - \epsilon$, which is designated by the name relative critical energy. A break in the temp. curve of the temp. coeff. called for by the theory is too slight to be recognized exptly. The ordinarily expressed ratio of the temp. coeffs. for a rise in temp. of 10.degree. should rise from zero to a very large value and approach the value 1. This is strictly true only for reactions in gaseous systems. The exceptions in aq. soln. are to be ascribed to the abnormality of the solvent, as it shows itself, for example, in the density max. of H₂O. At a given temp. the slower reactions, which are characterized by a larger relative critical energy, have the larger temp. coeffs. The formula thus set up for the coeff. of reaction velocity granted, it is at once possible to calc. the relative critical energy for isolated reactions as independent of temp. and, for the isolated reaction as such, entirely characteristic. It expresses the total energy which must be supplied to each mol. in a system in order to take it over from the ordinary to the reactive condition. Thermal units are used for the energy expressions. The highest values of the relative critical energy are obtained for inactivating reactions of org. toxins and enzymes, which can indeed be considered, as typical chem. reactions. The values of the energy increased from 0 to 100,000 but in general are of the order of 104. In addition to the type of reactions just mentioned, others considered in the present paper are vaporization, sublimation, several chem. reactions, photochem. decompns., etc. The temp. interval for each reaction is given, from which the observations have served for calcn. A higher relative critical energy in general corresponds to the gas reactions which go to completion in the absence of a solvent and in the dil. state, than that which corresponds to the same reactions in a solvent, in the presence of a catalyzer, or under the influence of light. For isolated photo-chem. reactions the total energy goes down even to 0. This change in total energy according to the conditions is an indication that the same reaction may complete itself in very different ways. The typical influence of solvent, catalyzer and light is illustrated by a series of examples, viz.: decompn. of H₂O₂, hydrolysis of maltose and sucrose, oxidation of HCHO with H₂O₂, oxidation of HI in aq. soln., action of Cl on C₆H₆, saponification of the glycerides of AcOH and of Et acetate, lipolysis by pancreas lipase, etc. A diminution in wave length of light results, according to researches on phototropic reactions, in a decrease of the relative critical energy of the reaction. Equilibrium, since it is the point of equality of 2 opposed reaction velocities, may, therefore, be fundamentally considered from the point of view of Gibbs' mechanics. In view of the equality of the crit. energies of the 2 opposed reactions, an equilibrium coeff. of the form $e^{+ + \text{const.}}$ is obtained. Here $\psi_1 - \psi_2$ refers to the heat of reaction within the limits of practicability of the reactions already considered as applying. The catalytic, photochem., and solvent effects which constitute a common group result from a change of the av. mol. energy or critical energy of the reaction by virtue of the presence of these effects. The change of critical energy is characteristic of these effects which change only the velocity, not the equil. Changes also of equil. are detd. by the change of $\psi_1 - \psi_2$. This means that the heat of reaction must also change if the equil. should be affected. The catalytic and related phenomena will be divided into 2 classes, according as the equil. remains unchanged or shifts. Special consideration is given to the so-called poisoning phenomena of catalyzers. This action stands midway between catalytic and enzymic effects. The poison can combine with the reacting substance and thereby give rise to a new reaction designated as parasitic, which seeks to restore the system to its original condition, and by so doing poisons even the catalyst. The poison can be considered as a kind of powerful and active catalyzer with a smaller value of the crit. energy in proportion to the principal reaction.

A second possibility as to the role of the poison is also considered. Both dispose of the poisons under catalytic actions of the first class. By consideration of poisoning from the standpoint of catalytic reactions of the second class, the possibility of an insight into negative catalysis is presented. Turning to photochem. reactions, the observation serves as a starting point that every photochem. absorption is accompanied by chemiluminescence. For the catalytic, photochem. and solvent effects of the first kind it must be accepted that the reduction of crit. energy should be connected with an intermediate reaction. From the standpoint of kinetics several observations are made upon such phenomena as the nascent state, "Rest-strom," overvoltage, etc. It turns out that the Boltzman energy partition, at least in the main, is susceptible of direct exptl. confirmation. In the consideration of the relation of chem. kinetics to thermodynamics, the irreversible chem. processes are classified as a third group to the irreversible and reversible physical processes. In an elementary chem. process it is possible to consider the entropy lowering as measured by the quotient $-\Delta\psi - \Delta\epsilon/\Delta\theta$. A photochem. reaction of the second kind is accepted within the assimilation, which possesses a considerable critical energy—a thing which differentiates it from ordinary photochem. processes. Chem. processes with which here vaporization; sublimation, condensation, etc. may also be reckoned, can be conceived of as a selection among the mols. whereby only those are selected which possess a high energy content. Whence the possibility of processes shall be given which proceed with entropy lowering.

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	10642	heating adj1 value	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B
2	BRS	L3	32869	(heating or energy) adj1 (value or content)	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
1	2005/06/22 16:27			
2	2005/06/22 16:35			

	Type	L #	Hits	Search Text	DBs
3	BRS	L4	9672	3 and (fuel or natural adj1 gas or lng)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TDB
4	BRS	L5	77	4 and chemiluminesc\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TDB
5	IS&R	L6	3	(("6157455") or ("5822058") or ("3950101")).PN.	USPAT

	Time Stamp	Comments	Error Definition	Errors
3	2005/06/22 16:45			
4	2005/06/22 16:43			
5	2005/06/22 16:43			

	Type	L #	Hits	Search Text	DBs
6	BRS	L7	12356	((heating or energy or caloric or calorific) adj1 value).ti,ab.	US-PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TDB
7	BRS	L8	0	7 and chemiluminesc\$	US-PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
6	2005/06/22 16:46			
7	2005/06/22 16:46			

	Type	L #	Hits	Search Text	DBs
8	BRS	L9	2545	422/52.ccls. or 250/361C.ccls. or 436/172.ccls.	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B
9	BRS	L10	0	9 and heating adj1 value	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
8	2005/06/22 16:47			
9	2005/06/22 16:47			

	Type	L #	Hits	Search Text	DBs
10	BRS	L11	103	9 and (fuel or natural adj1 gas or lng)	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B
11	BRS	L12	455	9 and (petroleum or hydrocarbon)	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
10	2005/06/22 16:48			
11	2005/06/22 16:48			

	Type	L #	Hits	Search Text	DBs
12	BRS	L13	493	11 or 12	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B
13	BRS	L14	102	13 and (422/52.ccls. or 250/361C.ccls.)	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
12	2005/06/22 16:48			
13	2005/06/22 16:48			

	Type	L #	Hits	Search Text	DBs
14	BRS	L15	618	hydrocarbon.ti,ab,clm. and chemiluminesc\$	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B
15	BRS	L16	71	15 and carbon near5 bond	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
14	2005/06/22 17:22			
15	2005/06/22 17:22			

	Type	L #	Hits	Search Text	DBs
16	BRS	L17	17	16 and chemiluminesc\$.ti,ab,clm.	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B
17	BRS	L18	6	16 and chemiluminesc\$ same bond	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
16	2005/06/22 17:25			
17	2005/06/22 17:23			

	Type	L #	Hits	Search Text	DBs
18	BRS	L19	11	17 not 18	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B
19	BRS	L20	54	16 not 17	US- PGPUB ; USPAT; USOCR ; EPO; JPO; DERWE NT; IBM_TD B

	Time Stamp	Comments	Error Definition	Errors
18	2005/06/22 17:26			
19	2005/06/22 17:28			

	Type	L #	Hits	Search Text	DBs
20	BRS	L21	641	422/52.ccls. or 250/361C.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TDB
21	BRS	L22	5	21 and hydrocarbon.ti,ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
20	2005/06/22 17:28			
21	2005/06/22 17:29			

	Type	L #	Hits	Search Text	DBs
22	BRS	L2	42	1 and chemiluminesc\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TDB
23	BRS	L23	8	("6157455").URPN.	USPAT
24	BRS	L24	0	23 and chemiluminesc?	USPAT
25	BRS	L25	7	("5822058").URPN.	USPAT
26	BRS	L26	0	25 and chemiluminesc?	USPAT
27	BRS	L27	11	("3950101").URPN.	USPAT
28	BRS	L28	0	27 and chemiluminesc\$	USPAT

	Time Stamp	Comments	Error Definition	Errors
22	2005/06/22 17:32			
23	2005/06/22 17:35			
24	2005/06/22 17:35			
25	2005/06/22 17:37			
26	2005/06/22 17:37			
27	2005/06/22 17:39			
28	2005/06/22 17:39			